


Tropicale - Summer Series 1970
Morning Dew - Patons 321
Thelma J - Patons 340
Lindy

Patons

KNITTING BOOK NO. 323



"PHLOREEN"—See page 8.





Denise (In Three Sizes)

PATONS AZALEA CROCHET WOOL

Sizes : 32-33, 7 ozs.; 34-35, 7 ozs.; 36-37, 9 ozs.

Instructions on opposite page.

Denise

(IN THREE SIZES)

PATONS AZALEA CROCHET WOOL

MATERIALS:—

PATONS AZALEA CROCHET WOOL.

	Size A	Size B	Size C
Light Wool	2 ozs.	2 ozs.	3 ozs.
Medium Wool	2 ozs.	2 ozs.	3 ozs.
Dark Wool	3 ozs.	3 ozs.	3 ozs.

Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

"Parfrey" Crochet Hook, No. 12.

Four "Beutron" Buttons, size 18.

MEASUREMENTS (to fit A—32-33, B—34-35, C—36-37 inch bust):—

Length from top of shoulder 19 ins. 19 ins. 19 ins.

ABBREVIATIONS:—See page 13. L. = Light, M. = Medium, D. = Dark.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width on No. 10 Needles. *Check tension—see page 13.*

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...].

THE FRONT.—Using No. 12 Needles and Light Wool cast on 112 [B—124] [C—136] stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row forty-nine times, increasing once at end of needle in last row. (113 [B—125] [C—137] sts.)

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—Purl.

Continue in plain, smooth fabric, increasing once at each end of needle in next and every following 8th row, until there are 121 [B—133] [C—145] sts. on needle.

Work 1 row without shaping.

STOP! Have you checked your tension?

Proceed as follows:—

Join in Medium Wool.

1st row.—* K.1M., K.11L., repeat from * to last st., K.1M.

2nd row.—* P.2M., P.9L., P.1M., repeat from * to last st., P.1M.

3rd row.—* K.3M., K.7L., K.2M., repeat from * to last st., K.1M.

4th row.—* P.4M., P.5L., P.3M., repeat from * to last st., P.1M.

5th row.—* K.5M., K.3L., K.4M., repeat from * to last st., K.1M.

6th row.—* P.6M., P.1L., P.5M., repeat from * to last st., P.1M.

Break off Light Wool.

Continue in plain, smooth fabric, increasing once at each end of needle in next and every following 8th row until there are 131 [B—143] [C—155] sts. on needle.

Work 5 rows without shaping.

Increase once at each end of needle in every row, ten times, then cast on 4 sts. at beginning of needle in next 2 rows. (159 [B—171] [C—183] sts.)

Join in Dark Wool.

1st row.—K.7M., * K.1D., K.11M., repeat from * to last 8 sts., K.1D., K.7M.

2nd row.—P.6M., * P.3D., P.9M., repeat from * to last 9 sts., P.3D., P.6M.

3rd row.—K.5M., * K.5D., K.7M., repeat from * to last 10 sts., K.5D., K.5M.

4th row.—P.4M., * P.7D., P.5M., repeat from * to last 11 sts., P.7D., P.4M.

5th row.—K.3M., * K.9D., K.3M., repeat from * to end of row.

6th row.—P.1D., P.1M., * P.11D., P.1M., repeat from * to last st., P.1D.

Break off Medium Wool. **

Work 46 rows in plain, smooth fabric without shaping. In next row: K.70 [B—K.74] [C—K.78], cast off 19 [B—23] [C—27] sts., work to end of row.

Continue on last 70 [B—74] [C—78] sts., decreasing once at neck edge in every alternate row until 63 [B—67] [C—71] sts. remain.

Work 1 row without shaping.

Shape for shoulder as follows:—

1st row.—K.2 tog., work to last 10 [B—11] [C—12] sts., turn.

2nd and alternate rows.—Work to end of row.

3rd row.—Work to last 20 [B—21] [C—22] sts., turn.

5th row.—Work to last 30 [B—31] [C—32] sts., turn.

7th row.—Work to last 40 [B—41] [C—42] sts., turn.

9th row.—Work to last 50 [B—51] [C—52] sts., turn.

10th row.—Like 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to **. (159 [B—171] [C—183] sts.)

Work 36 rows in plain, smooth fabric, decreasing once at end of needle in last row. (158 [B—170] [C—182] sts.)

In next row: K.79 [B—K.85] [C—K.91], turn.

Work 26 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 10 [B—11] [C—12] sts., turn.

2nd and alternate rows.—Work to end of row.

3rd row.—Work to last 20 [B—21] [C—22] sts., turn.

5th row.—Work to last 30 [B—31] [C—32] sts., turn.

7th row.—Work to last 40 [B—41] [C—42] sts., turn.

9th row.—Work to last 50 [B—51] [C—52] sts., turn.

11th row.—Work to last 60 [B—62] [C—63] sts., turn.

12th row.—Like 2nd row. Cast off.

Join in wool at centre back and work on remaining sts. to correspond with other side.

(Continued on Page 12)

Vilma

(IN TWO SIZES—WITH SHORT OR LONG SLEEVES)

PATONS CATKIN FLECK YARN

MATERIALS:—

PATONS CATKIN FLECK YARN.

Short Sleeves

Long Sleeves

Knitting Needles, 1 pair No. 10, measured on a Beehive Needle Gauge.

"Parfrey" Crochet Hook, No. 12.

Five "Beutron" Buttons, size 26. One Press Stud.

MEASUREMENTS (to fit A—34-35, B—36-37 inch bust):—

Length from top of shoulder 22½ ins. 22½ ins.

Length of sleeve from under-arm—

Short 5 ins. 5 ins.

Long 17 ins. 17 ins.
(or length desired)

ABBREVIATIONS:—See page 13.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 15½ stitches to 2 inches in width. *Check tension—see page 13.*

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE LEFT FRONT.—Cast on 90 [B—94] stitches.

** 1st row.—Knit plain.

2nd row.—Purl.

3rd and 4th rows.—Knit plain. **

These 4 rows form pattern.

Repeat from ** to ** once.

9th row.—(K.2 tog., K.27 [B—K.28]) twice, K.2 tog., K.30 [B—K.32].

Work 5 rows in pattern, also after 15th, 21st and 27th row.

15th row.—(K.2 tog., K.26 [B—K.27]) twice, K.2 tog., K.29 [B—K.31].

21st row.—(K.2 tog., K.25 [B—K.26]) twice, K.2 tog., K.28 [B—K.30].

27th row.—(K.2 tog., K.24 [B—K.25]) twice, K.2 tog., K.27 [B—K.29].

33rd row.—(K.2 tog., K.23 [B—K.24]) twice, K.2 tog., K.26 [B—K.28].

STOP! Have you checked your tension?

Work 5 rows in plain smooth fabric without shaping, also after 39th row.

39th row.—(K.2 tog., K.22 [B—K.23]) twice, K.2 tog., K.25 [B—K.27].

45th row.—(K.2 tog., K.21 [B—K.22]) twice, K.2 tog., K.24 [B—K.26].

Work 2 rows in plain smooth fabric without shaping.

48th and 49th rows.—Knit plain.

50th row.—Purl.

51st row.—(K.2 tog., K.20 [B—K.21]) twice, K.2 tog., K.23 [B—K.25].

Work 5 rows in pattern without shaping, also after 57th and 63rd row.

57th row.—(K.2 tog., K.19 [B—K.20]) twice, K.2 tog., K.22 [B—K.24].

63rd row.—(K.2 tog., K.18 [B—K.19]) twice, K.2 tog., K.21 [B—K.23].

69th row.—(K.2 tog., K.17 [B—K.18]) twice, K.2 tog., K.20 [B—K.22].

Work 7 rows in pattern without shaping.

Work 15 rows in plain smooth fabric, increasing once at beginning of needle in 3rd and every following 6th row twice.

In next row: Knit plain.

Work from ** to ** seven times, increasing once at beginning of needle in 5th and every following 6th row. Continue in plain smooth fabric, increasing once at beginning of needle in next and every following 6th row until there are 72 [B—76] sts. on needle.

Work 15 rows in plain smooth fabric without shaping.

Cast off 10 [B—12] sts. at beginning of next row, then decrease once at arm-hole edge in every alternate row until 57 [B—59] sts. remain.

Work 1 row without shaping.

Decrease once at front edge in next and every following 4th row until 52 [B—54] sts remain.

Work 3 rows without shaping.

Proceed as follows:—

1st row.—(K.24 [B—K.25], K.2 tog.) twice.

Work 3 rows without shaping, also after 5th, 9th, 13th, 17th, 21st, 25th, 29th and 33rd row.

5th row.—(K.23 [B—K.24], K.2 tog.) twice.

9th row.—(K.22 [B—K.23], K.2 tog.) twice.

13th row.—(K.21 [B—K.22], K.2 tog.) twice.

17th row.—(K.20 [B—K.21], K.2 tog.) twice.

21st row.—(K.19 [B—K.20], K.2 tog.) twice.

25th row.—(K.18 [B—K.19], K.2 tog.) twice.

29th row.—(K.17 [B—K.18], K.2 tog.) twice.

33rd row.—(K.16 [B—K.17], K.2 tog.) twice.

37th row.—(K.15 [B—K.16], K.2 tog.) twice.

Work 2 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 8 [B—9] sts., turn.

2nd and alternate rows.—Work to end of row.

3rd row.—Work to last 16 [B—17] sts., turn.

5th row.—Work to last 24 [B—25] sts., turn.

6th row.—Work to end of row.

Cast off.

(Continued on Page 11)



Vilma (In Two Sizes, With Short or Long Sleeves)

PATONS CATKIN FLECK YARN

Sizes : 34-35, Short Sleeves — 10 ozs.; Long Sleeves — 12 ozs.

36-37, Short Sleeves — 11 ozs.; Long Sleeves — 14 ozs.

Instructions on opposite page.

Stephanie

(IN TWO SIZES)

PATONS BEEHIVE CREPE

MATERIALS:—

	Size A	Size B
PATONS BEEHIVE CREPE	9 ozs.	9 ozs.
Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.		
Two Stitch Holders.		
Eleven "Beutron" Buttons, size 18.		
A Press Stud.		

MEASUREMENTS (to fit A—35-36, B—38-39 inch bust):—

Length from top of shoulder	20½ ins.	20½ ins.
Length of sleeve from under-arm	8 ins.	8 ins.

ABBREVIATIONS:—See page 13.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 2 patterns to 2½ inches in width. *Check tension—see page 13.*

Instructions are for smaller size A. Larger size B is shown thus [B—...].

Commencing at Right cuff edge and using No. 12 Needles, cast on 93 [B—93] stitches.

1st row.—Knit plain. Repeat 1st row five times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.2, * wl. fwd., K.8, wl. fwd., K.1, repeat from * to last st., K.1.

2nd row.—K.3, * P.8, K.3, repeat from * to end of row.

3rd row.—K.3, * wl. fwd., K.8, wl. fwd., K.3, repeat from * to end of row.

4th row.—K.4, P.8, * K.5, P.8, repeat from * to last 4 sts., K.4.

5th row.—Increase once in first st., K.3, wl. fwd., K.8, wl. fwd., * K.5, wl. fwd., K.8, wl. fwd., repeat from * to last 4 sts., K.2, increase once in next st., K.1.

6th row.—K.6, P.8, * K.7, P.8, repeat from * to last 6 sts., K.6.

7th row.—K.6, (K.4 tog.) twice, * K.7, (K.4 tog.) twice, repeat from * to last 6 sts., K.6.

8th row.—Knit plain.


Keeping continuity of pattern, increase once at each end of needle in next row, and every following 4th row six times.

STOP! Have you checked your tension?

Continue in pattern, increasing once at each end of needle in every alternate row nineteen times.

In next row: Work in pattern to end of row, turn, cast on 36 sts.

Repeat this row once.



Work 15 [B—23] rows in pattern without shaping.

In next row: Work 110 sts. in pattern, leave remaining 109 sts. on a stitch holder.

Continue in pattern on these 110 sts., increasing once at end of needle in 4th

row and every following 6th row, eight times.

Work 4 rows in pattern without shaping.

Cast off 9 sts., at beginning of next row, then decrease once at end of needle in next row, and every alternate row eight times.

Work 5 rows in pattern without shaping. Cast off.

Commencing again where sts. were left, proceed as follows:—

1st row.—Increase once in first st., work in pattern to end of row.

Keeping continuity of pattern, increase once at beginning of needle in 4th row, and every following 6th row eight times.

Work 53 rows in pattern without shaping.

Decrease once at beginning of needle in next row and every following 6th row eight times.

Work 5 rows in pattern without shaping. Break off wool and leave these sts. on a stitch holder until Left Front has been worked.

THE LEFT FRONT.—Using No. 10 Needles, cast on 101 [B—101] stitches.

1st row.—(wrong side of work). Knit plain.

2nd row.—K.2, * wl. fwd., K.8, wl. fwd., K.1, repeat from * to end of row.

3rd row.—K.2, * P.8, K.3, repeat from * to end of row.

4th row.—K.3, * wl. fwd., K.8, wl. fwd., K.3, repeat from * to last 10 sts., wl. fwd., K.8, wl. fwd., K.2.

5th row.—K.3, P.8, * K.5, P.8, repeat from * to last 4 sts., K.4.

6th row.—K.4, * wl. fwd., K.8, wl. fwd., K.5, repeat from * to last 11 sts., wl. fwd., K.8, wl. fwd., K.1, increase once in next st., K.1.

7th row.—K.5, P.8, * K.7, P.8, repeat from * to last 5 sts., K.5.

8th row.—K.5, (K.4 tog.) twice, * K.7, (K.4 tog.) twice, repeat from * to last 5 sts., K.3, increase once in next st., K.1.

9th row.—Knit plain.

Keeping continuity of pattern, increase once at end of needle in next row and every alternate row six times.

(Continued on Page 12)



Stephanie (In Two Sizes)

PATONS BEEHIVE CREPE

Sizes : 35-36, 9 ozs.; 38-39, 9 ozs.

Instructions on opposite page.

Phloreen

(IN TWO SIZES — ILLUSTRATED BELOW AND ON FRONT COVER)

PATONS BEEHIVE FINGERING — 3-PLY — "PATONISED"

MATERIALS:—

PATONS BEEHIVE FINGERING, 3-Ply — "PATONISED" Size A Size B
 7 ozs. 7 ozs.
 Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.
 "Parfrey" Crochet Hook, No. 12.
 Four "Beutron" Buttons, size 18.

MEASUREMENTS (to fit A—33-34, B—35-36 inch bust):—

Length from top of shoulder 20½ ins. 20½ ins.
 Length of sleeve from under-arm 5 ins. 5 ins.

ABBREVIATIONS:—See page 13.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width, measured over plain, smooth fabric on No. 10 Needles. *Check tension* — see page 13.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE FRONT.—Using No. 12 Needles, cast on 112 [B—120] stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row forty-five times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.39 [B—K.43], (wl. fwd., K.8, wl. fwd., K.1) four times, K.37 [B—K.41].

2nd and 4th rows.—Purl.

3rd row.—K.37 [B—K.41], (K.2 tog., wl. fwd., K.1,

wl. fwd., K.8, wl. fwd.) four times, K.2 tog., wl. fwd., K.37 [B—K.41].

5th row.—K.38 [B—K.42], (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) four times, K.38 [B—K.42].

6th row.—P.41 [B—P.45], [(P.4 tog.) twice, P.7] three times, (P.4 tog.) twice, P.42 [B—P.46].

7th row.—K.35 [B—K.39], K.2 tog., K.2, wl. fwd., K.8, wl. fwd., K.1, wl. fwd., K.8, wl. fwd., increase twice in next st., (wl. fwd., K.8, wl. fwd., K.1) twice, K.2 tog., K.35 [B—K.39].

8th and 10th rows.—Purl.

9th row.—K.36 [B—K.40], (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd.) twice, K.2 tog., K.2, (wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog.) twice, wl. fwd., K.36 [B—K.40].

11th row.—K.37 [B—K.41], (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) twice, K.2, (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) twice, K.37 [B—K.41].

12th row.—P.40 [B—P.44], (P.4 tog.) twice, P.7, (P.4 tog.) twice, P.9, (P.4 tog.) twice, P.7, (P.4 tog.) twice, P.41 [B—P.45].

13th row.—K.38 [B—K.42], (wl. fwd., K.8, wl. fwd., K.1) twice, K.2, (wl. fwd., K.8, wl. fwd., K.1) twice, K.36 [B—K.40].

14th and 16th rows.—Purl.

15th row.—K.34 [B—K.38], K.2 tog., (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd.) twice, K.2 tog., (pick up thread before next st. and knit it t.b.l., K.1) twice, wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd., K.1, wl. fwd., K.8, (wl. fwd., K.2 tog.) twice, K.34 [B—K.38].


17th row.—K.36 [B—K.40], (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) twice, K.4, (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) twice, K.36 [B—K.40].

18th row.—P.39 [B—P.43], (P.4 tog.) twice, P.7, (P.4 tog.) twice, P.11, (P.4 tog.) twice, P.7, (P.4 tog.) twice, P.40 [B—P.44].

19th row.—K.37 [B—K.41], (wl. fwd., K.8, wl. fwd., K.1) twice, K.4, (wl. fwd., K.8, wl. fwd., K.1) twice, K.35 [B—K.39].

20th and 22nd rows.—Purl.

(Continued on Page 10)



Joylene

(IN TWO SIZES — ILLUSTRATED BELOW AND ON BACK COVER)

PATONS AZALEA CROCHET WOOL

MATERIALS:—

PATONS AZALEA CROCHET WOOL

Size A	Size B
8 ozs.	9 ozs.

Knitting Needles, 1 pair No. 10, measured on a Beehive Needle Gauge.

A Belt.

MEASUREMENTS (to fit A—34-35, B—36-37 inch bust):—

Length from top of shoulder 21½ ins. 22 ins.

ABBREVIATIONS:—See page 13.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension — see page 13.*

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE LEFT FRONT.—Cast on 58 [B—63] stitches.

1st row.—Knit plain to last st., increase once in last st.

2nd row.—(K.1, P.1) into first st., purl to end of row.

Repeat 1st and 2nd rows twice.

7th row.—Like 1st row.

8th row.—Purl.

Repeat 7th and 8th rows three times. (68 [B—73] sts.).

STOP! Have you checked your tension?

Continue in plain smooth fabric without shaping until work measures 11¾ [B—12¾] ins. from commencement. Increase once at beginning of needle in next and every following 12th row, until there are 73 [B—78] sts. on needle.

Work 7 rows in plain smooth fabric without shaping.

Decrease once at front edge in next row, and every following 4th row four times, whilst at same time increasing once at beginning of needle in 5th and following 12th row. (70 [B—75] sts.).

Work 3 rows without shaping.

Decrease once at front edge in next and every alternate row, until 64 [B—69] sts. remain.

Work 1 row without shaping.

Shape for shoulder as follows:—

1st row.—Cast off 5 [B—6] sts., knit plain to last 2 sts., K.2 tog.

2nd row.—Purl.

Repeat 1st and 2nd rows four times.

11th row.—Cast off 6 [B—6] sts., knit plain to last 2 sts., K.2 tog.

12th row.—Purl.

Repeat 11th and 12th rows three times.

Cast off remaining 6 sts.

THE RIGHT FRONT.—Work to correspond with Left Front, working shapings at opposite ends of needle.

THE BACK.—Cast on 136 [B—146] stitches.

1st row.—Knit plain.

2nd row.—Purl.

Repeat 1st and 2nd rows until work measures 11¾ [B—12¾] ins. from commencement, ending with 2nd row. Increase once at each end of needle in next and every following 12th row until there are 150 [B—160] sts. on needle.

Work 15 rows without shaping.

Shape for shoulders by casting off 5 [B—6] sts. at beginning of next ten rows, then 6 [B—6] sts. at

beginning of following ten rows.

Cast off remaining 40 sts.

THE BORDER.—Cast on 14 [B—14] stitches.

** 1st row.—P.3, K.8, P.3.

2nd row.—K.3, P.8, K.3.

3rd row.—P.3, slip next 2 sts. on to a spare needle and leave at back of work, K.2, knit sts. from spare needle (working of these 4 sts. will now be termed "Twist A" throughout), slip next 2 sts. on to a spare needle, and leave at front of work, K.2, knit sts. from spare needle (working of these 4 sts. will now be termed "Twist B" throughout), P.3.



4th row.—K.3, P.8, K.3.

5th row.—Like 1st row.

6th row.—Like 2nd row.

7th row.—P.3, "Twist B," "Twist A," P.3.

8th row.—K.3, P.8, K.3. **

Work as given from ** to ** until Border is long enough to fit round Jacket when slightly stretched. Cast off.

THE ARM-HOLE BORDERS.—Cast on 14 [B—14] stitches. Work as given from ** to ** for Border until work measures 17 [B—17] ins. when slightly stretched. Cast off.

Work other Arm-hole Border in same manner.

TO MAKE UP JACKET.—With a slightly damp cloth and warm iron, press lightly. Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up shoulder and side seams. Sew border round edges of Jacket and arm-holes, leaving 1 purl stitch showing beside fancy cable, and easing at rounded corners of Fronts. Join ends of borders. Turn in 2 edge sts. of borders and slip-stitch in position on wrong side to neaten all edges. Make 2 lengths of ch. and attach to side seams at waist, through which to thread belt. Finally, press all seams.

Phloreen (Continued from page 8)

21st row.—K.35 [B—K.39], (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd.) twice, K.2 tog., wl. fwd., K.2, (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd.) twice, K.2 tog., wl. fwd., K.35 [B—K.39].

23rd row.—K.33 [B—K.37], K.2 tog., K.1, (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) twice, K.1, pick up thread before next st., and knit it t.b.l., (this will now be termed "Increase" throughout), K.2, "Increase," K.1, (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) twice, K.1, K.2 tog., K.33 [B—K.37].

24th row.—P.34 [B—P.38], [P.4, (P.4 tog.) twice, P.3] twice, P.6, [P.4 (P.4 tog.) twice, P.3] twice, P.36 [B—P.40].

25th row.—K.36 [B—K.40], (wl. fwd., K.8, wl. fwd., K.1) twice, K.6, (wl. fwd., K.8, wl. fwd., K.1) twice, K.34 [B—K.38].

26th and 28th rows.—Purl.

27th row.—K.34 [B—K.38], (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd.) twice, K.2 tog., wl. fwd., K.4, (K.2 tog., wl. fwd., K.1, wl. fwd., K.8 wl. fwd.) twice, K.2 tog., wl. fwd., K.34 [B—K.38].

29th row.—K.35 [B—K.39], (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) twice, K.6, (K.2 tog., wl. fwd., K.1, wl. fwd., K.8, wl. fwd., K.2 tog., wl. fwd.) twice, K.35 [B—K.39].

30th row.—Like 24th row.

31st row.—Increase once in first st., K.31 [B—K.35], K.2 tog., K.2, (wl. fwd., K.8, wl. fwd., K.1) twice, "Increase," K.4, "Increase," K.2, (wl. fwd., K.8, wl. fwd., K.1) twice, K.2 tog., K.31 [B—K.35], increase once in last st.

STOP! Have you checked your tension?

Note.—The pattern is from 25th to 30th row and because of the angle of the pattern panels, the centre plain smooth fabric panel is 2 sts. wider after every 8th row. The 31st row is the first increase row and the first row of the 6th pattern.

Keeping continuity of pattern, (knitting 2 tog. once at outside edge of lacy panels, and working an "Increase"

each side of centre plain smooth fabric panel in every 8th row), increase once at each end of needle in every following 8th row four times.

Work 31 rows in pattern without shaping at side edges.

Cast off 8 [B—10] sts. at beginning of next 2 rows, then decrease once at each end of needle in next row, then every alternate row six times. **

Work 41 rows in pattern without shaping at arm-holes edges.

In next row: K.11 [B—K.13], (wl. fwd., K.8, wl. fwd., K.1) twice, K.10, cast off 14 sts., K.12, (wl. fwd., K.8, wl. fwd., K.1) twice, K.9, [B—K.11].

Continue in pattern on last 43 [B—45] sts., decreasing once at neck edge in every row eight times, then in every alternate row twice.

Work 11 rows without shaping at neck edge. Cast off. Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to **.

Work 23 rows in pattern without shaping.

In next row: K.10 [B—K.12], K.2 tog., K.2, (wl. fwd., K.8, wl. fwd., K.1) twice, "Increase," K.14, turn.

Continue in pattern on these sts. until arm-hole measures same as Front arm-hole. Cast off.

Join in wool at centre back and work on remaining sts. to correspond with other side.

THE SLEEVES.—Using No. 10 Needles, cast on 80 [B—84] stitches.

1st row.—Knit plain.

2nd row.—Purl.

Repeat 1st and 2nd rows seven times.

With right side of work facing, and using a fine spare needle, pick up 80 [B—84] sts. along cast-on edge, place at back of needle in use.

17th row.—Knit plain, knitting together one st. from each needle to form a hem.

18th row.—Purl.

Continue in plain, smooth fabric, increasing once at each end of needle in next and every following 6th row until there are 92 [B—96] sts. on needle.

Continue without shaping until work measures 5 ins. from lower edge.

Cast off 2 [B—3] sts. at beginning of next 2 rows.

Decrease once at each end of needle in next and every alternate row until 34 [B—36] sts. remain, then in every row until 20 [B—22] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up shoulder seams. With right side of work facing, and using No. 10 Needles, knit up 92 [B—92] stitches evenly round neck.

1st row.—Purl.

2nd row.—Knit plain.

Repeat 1st and 2nd rows five times. Cast off.

TO MAKE UP JUMPER.—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an $\frac{1}{8}$ of an inch back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves placing seam to seam. Fold neck-band in half and sew in position on wrong side. With right side of work facing, and using No. 10 Needles, knit up 30 sts. along left side of back opening. Work 4 rows in Garter Stitch. Cast off. Using Crochet Hook, work 2 rows of d.c. along right side of back opening, making 4 button-hole loops in 2nd row. Sew on buttons to correspond with loops. Finally, press all seams.

Vilma (Continued from page 4)

THE RIGHT FRONT.—Work to correspond with Left Front, working shapings at opposite ends of needle and making a button-hole in 79th and 80th rows, and every following 25th and 26th rows, four times. (5 button-holes.)

To make a button-hole.

1st row.—K.3, cast off 2 sts., work to end of row.

2nd row.—Work to last 3 sts., cast on 2 sts., P.3.

THE BACK.—Cast on 166 [B—174] stitches.

Work as given from ** to ** for Left Front, twice.

Proceed as follows:—

1st row.—(K.2 tog., K.27 [B—K.28]) twice, K.2 tog., K.46 [B—K.50], (slip 1, K.1, p.s.s.o., K.27, [B—K.28]) twice, K.2 tog.

Work 5 rows in pattern, also after 7th, 13th, and 19th row.

7th row.—(K.2 tog., K.26 [B—K.27]) twice, K.2 tog., K.44 [B—K.48], (slip 1, K.1, p.s.s.o., K.26 [B—K.27]) twice, K.2 tog.

13th row.—(K.2 tog., K.25 [B—K.26]) twice, K.2 tog., K.42 [B—K.46], (slip 1, K.1, p.s.s.o., K.25 [B—K.26]) twice, K.2 tog.

19th row.—(K.2 tog., K.24 [B—K.25]) twice, K.2 tog., K.40 [B—K.44], (slip 1, K.1, p.s.s.o., K.24 [B—K.25]) twice, K.2 tog.

25th row.—(K.2 tog., K.23 [B—K.24]) twice, K.2 tog., K.38 [B—K.42], (slip 1, K.1, p.s.s.o., K.23 [B—K.24]) twice, K.2 tog.

Work 5 rows in plain smooth fabric without shaping, also after 31st row.

31st row.—(K.2 tog., K.22 [B—K.23]) twice, K.2 tog., K.36 [B—K.40], (slip 1, K.1, p.s.s.o., K.22 [B—K.23]) twice, K.2 tog.

37th row.—(K.2 tog., K.21 [B—K.22]) twice, K.2 tog., K.34 [B—K.38], (slip 1, K.1, p.s.s.o., K.21 [B—K.22]) twice, K.2 tog.

Work 2 rows in plain smooth fabric without shaping.

40th and 41st rows.—Knit plain.

42nd row.—Purl.

43rd row.—(K.2 tog., K.20 [B—K.21]) twice, K.2 tog., K.32 [B—K.36], (slip 1, K.1, p.s.s.o., K.20 [B—K.21]) twice, K.2 tog.

Work 5 rows in pattern without shaping, also after 49th and 55th row.

49th row.—(K.2 tog., K.19 [B—K.20]) twice, K.2 tog., K.30 [B—K.34], (slip 1, K.1, p.s.s.o., K.19 [B—K.20]) twice, K.2 tog.

55th row.—(K.2 tog., K.18 [B—K.19]) twice, K.2 tog., K.28 [B—K.32], (slip 1, K.1, p.s.s.o., K.18 [B—K.19]) twice, K.2 tog.

61st row.—(K.2 tog., K.17 [B—K.18]) twice, K.2 tog., K.26 [B—K.30], (slip 1, K.1, p.s.s.o., K.17 [B—K.18]) twice, K.2 tog.

Work 7 rows in pattern without shaping.

Work 15 rows in plain smooth fabric, increasing once at each end of needle in 3rd and every following 6th row twice.

In next row: Knit plain.

Work as given from ** to ** for Left Front seven times, increasing once at each end of needle in 5th and every following 6th row.

Continue in plain smooth fabric, increasing once at each end of needle in next and every following 6th row until there are 130 [B—138] sts. on needle.

Work 15 rows in plain smooth fabric without shaping.

Cast off 10 [B—12] sts. at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row until 100 [B—104] sts. remain.

Continue in plain smooth fabric without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 8 [B—9] sts., turn.

3rd and 4th rows.—Work to last 16 [B—17] sts., turn.

5th and 6th rows.—Work to last 24 [B—25] sts., turn.

7th and 8th rows.—Work to last 32 [B—34] sts., turn.

9th row.—Work to end of row.

Cast off.

THE SHORT SLEEVES.—Cast on 86 [B—90] stitches.

Work as given from ** to ** for Left Front five times.

Continue in pattern, increasing once at each end of needle in next and following 6th row (90 [B—94] sts.).

Work 5 rows in pattern without shaping.

Continue in plain smooth fabric, increasing once at each end of needle in next and every following 6th row until there are 98 [B—102] sts. on needle.

Continue in plain smooth fabric without shaping until work measures 5 ins. from commencement.

** Cast off 4 [B—5] sts. at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row until 32 [B—34] sts. remain.

Work 1 row without shaping. Cast off. **

Work another Sleeve in same manner.

THE LONG SLEEVES.—Cast on 60 [B—64] stitches.

Work as given from ** to ** for Left Front eight times.

Continue in plain smooth fabric, increasing once at each end of needle in next and every following 8th row until there are 86 [B—90] sts. on needle, then in every 6th row until there are 98 [B—102] sts. on needle.

Continue without shaping until work measures 17 ins. (or length desired) from commencement.

Work as given from ** to ** for Short Sleeves.

Work another Sleeve in same manner.

THE COLLAR.—Cast on 3 [B—3] stitches.

1st row.—Knit plain.

2nd row.—Purl.

Continue in plain smooth fabric, increasing at outside edge in every row until there are 20 sts. on needle, then in every alternate row until there are 26 sts. on needle.

Work 115 [B—115] rows without shaping.

Decrease once at end of needle in next and every alternate row until 20 sts. remain.

Work 1 row without shaping.

Decrease once at same edge in every row until 3 sts. remain.

Work 1 row without shaping.

Cast off.

TO MAKE UP JACKET.—With a slightly damp cloth and warm iron press lightly. Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up side, shoulder and sleeve seams. Sew in sleeves placing seam to seam. Using a flat seam, sew collar in position. With right side of work facing and using Crochet Hook, work 1 row of d.c. along fronts and round collar. Sew on buttons to correspond with button-holes. Sew press stud in position above top button. Finally, press all seams.

Denise (Continued from page 3)

THE SLEEVE BANDS.—(All sizes.) Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up shoulder seams. With right side of work facing, using No. 12 Needles and Dark Wool, knit up 98 stitches evenly round sleeve.

1st row.—Purl.

2nd row.—Knit plain.

Repeat 1st and 2nd rows five times, then 1st row once. Cast off.

Work other Sleeve Band in same manner.

THE NECK BAND.—With right side of work facing, using No. 12 Needles and Dark Wool, knit up 104 [B—108] [C—112] stitches evenly round neck.

1st row.—Purl.

2nd row.—Knit plain.

Repeat 1st and 2nd rows five times, then 1st row once. Cast off.

TO MAKE UP JUMPER.—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an $\frac{1}{8}$ of an inch back-stitch seam for other seams, sew up side seams. Fold neck-band and sleeve bands in half and sew in position on wrong side. Using Crochet Hook, work 3 rows of d.c. along left side of back opening, and 2 rows along right side, making 4 button-hole loops in 2nd row. Sew on buttons to correspond with loops. Finally, press all seams.

Stephanie (Continued from page 6)

Work 1 row in pattern without shaping.

In next row, work in pattern to end of row, turn, cast on 9 sts.

Continue in pattern, decreasing once at end of needle in 4th row and every following 6th row, eight times.

Work 5 rows in pattern without shaping.

In next row, work in pattern to last 2 sts., K.2 tog., then work in pattern across sts., from stitch holder.

Work 14 [B—22] rows in pattern without shaping.

Cast off 36 sts., at beginning of next 2 rows.

Decrease once at each end of needle in every alternate row nineteen times, then in every following 4th row eight times.

Work 1 row in pattern without shaping.

Using No. 12 Needles, proceed as follows:—

1st row.—Knit plain.

Repeat 1st row four times. Cast off.

THE WAIST-BAND.—Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up side seams. With right side of work facing, and using No. 12 Needles, knit up 216 [B—232] stitches evenly round lower edge.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row forty-seven times. Cast off in rib.

THE RIGHT FRONT BORDER.—With right side of work facing, and using No. 12 Needles, knit up 128 [B—128] stitches, evenly along Right Front. (32 along band to allow for 3 button-holes.)

1st row.—K.1, (cast off 3 sts., K.9) ten times, cast off 3 sts., K.4.

2nd row.—K.4, (cast on 3 sts., K.9) ten times, cast on 3 sts., increase once in last st.

3rd row.—Knit plain.

4th row.—Knit plain to last 2 sts., increase once in next st., K.1.

Repeat 3rd and 4th rows once. Cast off.

THE LEFT FRONT BORDER.—With right side of work facing, and using No. 12 Needles, knit up 128 [B—128] stitches evenly along Left Front.

1st row.—Knit plain.

2nd row.—Increase once in first st., knit plain to end of row.

Repeat 1st and 2nd rows twice. Cast off.

THE NECK-BAND.—Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up shoulder seams. With right side of work facing, and using No. 12 Needles, knit up 98 [B—104] stitches, evenly round neck.

1st row.—Knit plain.

2nd row.—Increase once in first st., knit plain to last 2 sts., increase once in next st., K.1.

Repeat 1st and 2nd rows twice. Cast off.

TO MAKE UP CARDIGAN.—With a slightly damp cloth and warm iron, press lightly. Sew front bands to neck-band. Sew on buttons to correspond with button-holes. Sew press stud in position at neck. Finally, press all seams.

Valmai (Continued from page 14)

THE RIGHT FRONT.—Using No. 12 Needles, cast on 56 [B—60] stitches.

1st row.—* K.1, P.1, repeat from * to end of row.

Repeat 1st row fifty-five times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.1, wl. fwd., slip 1, K.1, p.s.s.o., knit plain to last st., increase once in last st.

2nd and alternate rows.—Purl.

3rd row.—K.2, wl. fwd., slip 1, K.1, p.s.s.o., knit plain to end of row.

5th row.—K.1, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, knit plain to end of row.

7th row.—K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, knit plain to last st., increase once in last st.

9th row.—K.1, (wl. fwd., slip 1, K.1, p.s.s.o.) three times, knit plain to end of row.

Keeping continuity of lace stripes, work to correspond with Left Front, working shapings at opposite ends of needle.

THE BACK.—Using No. 12 Needles, cast on 110 [B—118] stitches.

1st row.—* K.1, P.1, repeat from * to end of row.

Repeat 1st row fifty-five times.

Using No. 10 Needles, proceed as follows:—

1st row.—Increase once in first st., knit plain to last st., increase once in last st.

2nd row.—Purl.

Continue in plain, smooth fabric, increasing once at each end of needle in following 5th and every following 6th row until there are 128 [B—136] sts. on needle.

Work 41 [B—41] rows without shaping.

Cast off 8 [B—10] sts. at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row until 94 [B—98] sts. remain.

Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows (both sizes):—

1st and 2nd rows.—Work to last 8 sts., turn.

3rd and 4th rows.—Work to last 16 sts., turn.

5th and 6th rows.—Work to last 24 sts., turn.

7th and 8th rows.—Work to last 32 sts., turn.

9th row.—Work to end of row. Cast off.

THE SHORT SLEEVES.—Using No. 10 Needles, cast on 84 [B—88] stitches.

1st row.—Knit plain.

2nd row.—Purl.

Repeat 1st and 2nd rows eight times.

Continue in plain, smooth fabric, increasing once at each end of needle in next and every following 6th row, until there are 94 [B—98] sts. on needle.

Continue without shaping until work measures $5\frac{1}{2}$ ins. from commencement.

** Cast off 3 [B—4] sts. at beginning of next 2 rows, then decrease once at each end of needle in next and every alternate row until 24 [B—26] sts. remain.

Work 1 row without shaping. Cast off. **

Work another Sleeve in same manner.

THE LONG SLEEVES.—Using No. 12 Needles, cast on 60 [B—64] stitches.

1st row.—* K.1, P.1, repeat from * to end of row.

Repeat 1st row thirty-three times.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—Purl.

Repeat 1st and 2nd rows twice.

Continue in plain smooth fabric, increasing once at each end of needle in next and every following 8th row until there are 94 [B—98] sts. on needle.

Continue without shaping until work measures 17 ins. (or length desired) from commencement.

Work as given from ** to ** for Short Sleeves.

Work another Sleeve in same manner.

THE RIGHT BORDER (both sizes).—Using No. 12 Needles, cast on 12 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row three times.

** 5th row.—K.2, P.1, K.1, P.1, cast off 2 sts., (K.1, P.1) twice, K.1.

6th row.—K.2, P.1, K.1, P.1, cast on 2 sts., (K.1, P.1) twice, K.1,

Repeat 1st row twelve times. **

Repeat from ** to ** twice, then 5th and 6th rows once.

Continue in rib, making a button-hole in every following 17th and 18th rows, nine times. (13 button-holes.)

Work 2 rows in rib. Cast off in rib.

THE LEFT BORDER (both sizes).—Work as given for Right Border, omitting button-holes.

THE COLLAR.—Using No. 10 Needles, cast on 100 [B—105] stitches.

1st row.—Knit plain.

2nd row.—Purl.

Repeat 1st and 2nd rows once.

5th row.—K.2, increase once in next st., * K.4, increase once in next st., repeat from * to last 2 sts., K.2.

Work 19 rows in plain smooth fabric without shaping.

Cast off 3 [B—3] sts. at beginning of next 2 rows.

Work 3 rows without shaping. Cast off.

TO MAKE UP CARDIGAN.—With a slightly damp cloth and warm iron, press lightly. Using an $\frac{1}{4}$ of an inch back-stitch seam, sew borders to fronts. Using a flat seam for ribbing and an $\frac{1}{8}$ of an inch back-stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Turn up $\frac{1}{2}$ an inch hem round lower edge of Short Sleeves, and slip-stitch in position on wrong side. Turn under $\frac{1}{4}$ of an inch round 3 sides of collar (leaving cast-on edge to sew to neck edge), and slip-stitch in position on wrong side. Using a flat seam, sew collar in position. Sew on buttons to correspond with button-holes. Finally, press all seams.



SOME IMPORTANT INFORMATION



Avoid disappointment—buy the wool recommended. Buy wisely—buy enough—the same blend cannot be repeated.

TENSION is the number of stitches in width to measure one inch. On this depends the success of the finished article. Before commencing work, always check your tension by knitting a small square, using wool and size of needles given in the recipe. If the correct tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

ABBREVIATIONS:

K. = Knit plain
P. = Purl
sts. = stitches
ins. = inches
wl. fwd. = wool forward
p.s.s.o. = pass slip stitch over

w.o.n. = wool over needle
w.r.n. = wool round needle
t.b.l. = through the back of the loop
tog. = together
beg. = beginning
inc. = increase

dec. = decrease
alt. = alternate
rep. = repeat
patt. = pattern
incl. = inclusive
Garter Stitch = every row plain

ch. = chain
tr. = treble
s.c. = single crochet
d.c. = double crochet
l.tr. = long treble (wool over hook twice)
sl. st. = slip stitch
sp. = space

When the instructions read, "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

Valmai

(IN TWO SIZES — WITH SHORT OR LONG SLEEVES)

PATONS BEEHIVE CREPE

MATERIALS:—

PATONS BEEHIVE CREPE.

	Size A	Size B
Short Sleeves	7 ozs.	8 ozs.
Long Sleeves	9 ozs.	10 ozs.

Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Thirteen "Beutron" Buttons, size 18.

MEASUREMENTS (to fit A—33-34, B—35-36 inch bust):—

Length from top of shoulder	20½ ins.	20½ ins.
Length of sleeve from under-arm—		
Short	5 ins.	5 ins.
Long	17 ins.	17 ins.
	(or length desired)	

ABBREVIATIONS:—See page 13.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width, measured over plain, smooth fabric on No. 10 Needles. *Check tension*
—see page 13.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE LEFT FRONT.—Using No. 12 Needles, cast on 56 [B—60] stitches.

1st row.—* K.1, P.1, repeat from * to end of row.

Repeat 1st row fifty-five times.

Using No. 10 Needles, proceed as follows:—

1st row.—Increase once in first st., knit plain to last 3 sts., K.2 tog., wl. fwd., K.1.

2nd and alternate rows.—Purl.

3rd row.—Knit plain to last 4 sts., K.2 tog., wl. fwd., K.2.

5th row.—Knit plain to last 5 sts., (K.2 tog., wl. fwd.) twice, K.1.

7th row.—Increase once in first st., knit plain to last 6 sts., (K.2 tog., wl. fwd.) twice, K.2.

9th row.—Knit plain to last 7 sts., (K.2 tog., wl. fwd.) three times, K.1.

11th row.—Knit plain to last 8 sts., (K.2 tog., wl. fwd.) three times, K.2.

13th row.—Increase once in first st., knit plain to last 9 sts., (K.2 tog., wl. fwd.) three times, K.3.

15th row.—Knit plain to last 10 sts., (K.2 tog., wl. fwd.) three times, K.4.

17th row.—Knit plain to last 11 sts., (K.2 tog., wl. fwd.) three times, K.5.

19th row.—Increase once in first st., knit plain to last 12 sts., (K.2 tog., wl. fwd.) three times, K.6.

21st row.—Knit plain to last 13 sts., (K.2 tog., wl. fwd.) three times, K.7.

23rd row.—Knit plain to last 14 sts., (K.2 tog., wl. fwd.) three times, K.8.

25th row.—Increase once in first st., knit plain to last 15 sts., (K.2 tog., wl. fwd.) three times, K.6, K.2 tog., wl. fwd., K.1.

STOP! Have you checked your tension?

NOTE.—2nd lace stripe is commenced in 25th row, and there are 4 lace stripes in each Front and each stripe is in 25th row from previous stripe.

Continue in pattern, increasing once at beginning of needle in every following 6th row, until there are 65 [B—69] sts. on needle.

Work 41 [B—41] rows in pattern without shaping.

Cast off 8 [B—10] sts. at beginning of next row, then decrease once at beginning of needle in every alternate row, until 48 [B—50] sts. remain.

Keeping continuity of pattern, continue without shaping until 3rd lace stripe has been completed.

Work 7 rows in pattern without shaping.

Cast off 8 [B—10] sts. at beginning of next row, then decrease once at neck edge in next and every alternate row, until 32 [B—32] sts. remain.

Shape for shoulder as follows (both sizes):—

1st row.—Work to last 8 sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 16 sts., turn.

5th row.—Work to last 24 sts., turn.

6th row.—Like 2nd row. Cast off.

(Continued on Page 12)

Wholly Set up and Printed in Australia

Published With All Rights Reserved by

PATONS & BALDWIN'S LIMITED

84-94 Flinders Lane, MELBOURNE, C.1



181 Clarence Street, SYDNEY



Valmai (In Two Sizes, With Short or Long Sleeves)

PATONS BEEHIVE CREPE

Sizes : 33-34, Short Sleeves — 7 ozs.; Long Sleeves — 9 ozs.

35-36, Short Sleeves — 8 ozs.; Long Sleeves — 10 ozs.


Instructions on opposite page.

Patons

KNITTING BOOK NO. 323



"JOYLENE"—See page 9.





Vintage Knitters

We're always looking for old knitting patterns

www.vintageknitters.com

Thank you for purchasing a Vintage Knitters knitting pattern.

Every effort has been made to ensure the pattern is legible but some printers do not render well. If you should find your pattern difficult to read once printed, send us an email from the website and we will endeavour to send you a copy saved at a higher resolution.

Regards,

Kathy

